A Quick Reference Guide to ergoCentric Seating Systems



Table of Contents

1

6

- 5 important factors to look for in Height Adjustable Tables
- 2 Frame specifications
- 3 Statement of line
- 4 upCentric[™] 2 Leg Small Frame | 2 Leg Frame
 - Warranty



5 important factors to look for in Height Adjustable Tables

Height adjustable tables are quickly becoming a more popular choice in today's workspaces. With so many brands and options to choose from, finding a table that will satisfy your needs can be challenging.

We are here to help!

Here are the top 5 things to look for when searching for the best Height Adjustable Table:

Ability to retrofit existing work surfaces:

The sturdy upCentric[™] frame accommodates a variety of different tabletop sizes to make converting existing work surfaces into height adjustable tables a very economical way of obtaining a sit-to-stand solution.

2 Maximum height range:

With 26" of height adjustability, the upCentric offers the maximum height range to meeting BIFMA-GA-2013 Standards.

3 Quick and easy installation:

The upCentric is one of the simplest height adjustable tables to assemble. Printed and video instructions make assembling the upCentric easy enough to complete in approximately 15 minutes.

• Dual motors:

A table with dual motors guarantees it will adjust evenly on each side, while moving quickly and quietly without causing any interruptions to the user. The upCentric features motors made by TiMOTION^{*}, specifically designed for ergonomic height adjustable tables.

5 Energy efficiency:

The upCentric features a low max power draw of just 30W while transitioning in positions. After 30 seconds of inactivity, the upCentric will enter Sleep Mode to reduce energy consumption to just 0.06W of power.



TiMOTION is a registered trademark of TiMOTION Technology Co. Ltd

Frame specifications

The sturdy and easy to assemble upCentric frame accommodates a variety of different tabletop sizes. Consider retrofitting existing tables and desks making a sit-stand solution very economical.



Specifications

	2-LEG SMALL FRAME	2-LEG FRAME
Frame Code	UP-2LS	UP-2L
Height Range	23.5" - 50"	23.5" - 50"
Width Range	41" - 72"	46" - 77"
Depth of Frame	22" (19.5") ¹	29.5" (23.75") ²
Assembly Time	5 - 10 minutes	5 - 10 minutes
Travel Speed	1.6" per second	1.6" per second
Digital Memory Control Buttons	4 Position Memory	4 Position Memory
Weight Capacity	300 lbs	300 lbs
Electric TiMOTION [®] Motors	2 Motors	2 Motors
Max Power Draw	30 W	30 W
Standby Power Draw	0.06 W	0.06 W
Sound Level	39 dB	39 dB
Accommodates Tabletop Sizes	24" x 42" up to 24" x 84"	24" x 46" up to 42" x 96"
Frame Finish	Silver or Black Powder Coated Steel	Silver or Black Powder Coated Steel
Boxed Size/Weight	42.5"l x 8"w x 11"h - 92 lbs	48"l x 8"w x 11"h - 93 lbs
Power Cord Length:	2 meters	2 meters



1 Digital display control with 4 position memory

- Up/down control switch with digital read-out
- Four programmable memory settings

Safety feature


• Anti-Collision Safety features stops table in event of collision with immovable object

Certifications

• BIFMA-G1-2013 | BIFMA x5.5 | CSA/UL

1 (19.5") refers to depth of the bracket which tabletops are mounted to 2 (23.75") refers to the depth of the bracket which tabletops are mounted to.

Statement of line



NOTE: The height range does not include the thickness of the tabletop.

2 LEG SMALL FRAME & 2 LEG FRAME

Sturdy design. Easy to assemble. Affordable solution.

The upCentric[™] allows workers to easily alternate between seated and standing positions throughout the work day to reduce backaches and pains, reduce stress and tension and to improve circulation throughout the body. Moving the table is intuitive with the easy-to-use up/down control with four position memory. The quiet motors housed in each of the table's legs ensure a quick, smooth transition in positions. The sturdy upCentric frame accommodates a variety of different table top widths to make retrofitting the table for new users and areas very economical. The durable open frame design provides optimal knee clearance and space for storage.

Tabletop edges

 Standard 2mm thick T-Mold 	EDGE COLOR OPTION	CODE	
	Finish Match Edge	FM	
edges with 1" radius corner	Black Edge	BE	
r raulus corner	Grey Edge	GE	

Grommet hole options

- Grommet Holes can be added to the top left (L), right (R) or center (C) of upCentric Tabletops.
- Non-standard positions require a drawing with purchase order to show placement of grommet holes.
- Standard Grommet Hole Size: 3

6"	6"	6"	Position	Code
6"	(6"	Left	3GHL
L	L C	R	Center	3GHC
			Right	3GHR

Frame finish options



High pressure laminate finishes [HPL]



		(ERGOCENTRIC MODEL #				
SIZE	GOCUIC	FRAME & TABLETOP	HPL FINISH	TABLETOP EDGE	GROMMET HOLE 1 (L, R or C)	GROMMET HOLE 2 (L, R or C)	CEILING PRICE
24" x 42"	FSCAEA4224	UP-2LS-24X42	See codes for	r finishes above	3GH	N/A	Contact us
24" x 48"	FSCAEA4824	UP-2LS-24X48			3GH_	3GH_	Contact us
24" x 54"	FSCAEA5424	UP-2LS-24X54			3GH_	3GH_	Contact us
24" x 60"	FSCAEA6024	UP-2LS-24X60			3GH_	3GH_	Contact us
30" x 42"	FSCAEA4230	UP-2L-30X42			3GH_	N/A	Contact us
30" x 48"	FSCAEA4830	UP-2L-30X48			3GH_	3GH_	Contact us
30" x 54"	FSCAEA5430	UP-2L-30X54			3GH	3GH_	Contact us

To allow for cord management and to minimize potential pinch hazards, actual tabletop dimensions are 1" shorter in width and depth from what is shown in this catalogue. Example: 24" x 42" will be manufactured to 23" x 41".

Sit down. Stand up. A healthy way to work.



Warranty

ergoCentric Seating Systems hereby warrants all of its tables against defects and functional failure of materials. These warranties shall not apply to any products which must be replaced because of normal wear and tear, negligence, abuse or accident, shipping damage, or product use other than in accordance with written instructions and warnings. ergoCentric makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, expressed or implied, other than those set forth herein. In no event shall ergoCentric be liable in either tort or contract for any loss or direct, special, incidental, consequential or exemplary damages. This warranty is based on the use during an eight hour work day.

Warranty claims

ergoCentric will repair or replace any product or materials, covered by this warranty, found to be defective or inferior within the warranted period. This warranty includes the cost of labor and shipping. Claims are to be made directly to ergoCentric or to the authorized representative from whom the product was purchased. Product or materials, for which a claim has been made, must be made available for inspection by an authorized ergoCentric representative.

Limit of warranty

These warranties shall be valid only during the term of these warranties; and while the products herein warranted are in the possession of the original purchaser. The original purchaser shall mean the party which first purchased the products for its own use whether from ergoCentric or an authorized ergoCentric representative.

PRODUCT	WARRANTY
upCentric height adjustable frame 2-Leg 300 lbs includes all components (motors, wires, & all electronic components)	5 Years
High pressure laminate tabletops	1 Year

Sales and service

ergoCentric Seating Systems 275 Superior Blvd., Mississauga, Ontario L5T 2L6 ph: 1866 GET ERGO | 905 696-6800 fx: 1800 848-5190 | 905 696-0899

ergocentric.com service@ergocentric.com

Sales support

For a current list of our sales support staff, please visit: ergocentric.com/reps



Authorized dealers

For a current list of our authorized dealers, please visit: ergocentric.com/government



ergoCentric



upCentric[™], is a registered trademarks of Ergo-Industrial Seating. TiMOTION is a registered trademark of TiMOTION Technology Co. Ltd. All other trademarks, registered trademarks and logos are the property of their respective owners. 02/16/V15