

Arm options

ergoCentric has a full line of arms and arm caps offering over 50 modular versions available on every chair. The arms and/or arm caps can be easily and inexpensively reconfigured to accommodate changes in job functions, employees and physical needs.

Adjustable arm options have two inches of width adjustment and four inches of arm height adjustment for multiple user requirements.

Lateral Arms

4" HEIGHT ADJUSTABLE TC ARMREST [TC ARMREST]



- Cushioned finger tip adjustment
- Solid ¾" thick spring steel frame, epoxy powder coated black
- Arms width adjustable 2" per arm
- Arm height adjustable from seat pan 5 ¾" to 9 ¾"
- Arm pad: Polyurethane PUSWV arm pad 5"w x 10"l

Height Adjustable Arms

3" ADJUSTABLE T-ARM [3ATA]



- Finger tip adjustment
- Polyurethane arm pad 3 ½"w x 10 ¼"l
- Solid ¼" thick spring steel frame, epoxy powder coated black
- Arm height adjustable from seat pan 5 ½" to 8 ½"
- Arms width adjustable 2" per arm

4" ADJUSTABLE T-ARM [4ATA]



- Finger tip adjustment
- Polyurethane arm pad 4"w x 10 ½"l
- Solid ¼" thick spring steel frame, epoxy powder coated black
- Arm height adjustable from seat pan 6" to 10"
- Arms width adjustable 2" per arm
- 2" higher arm option measures 8" to 12"
- Cal. 133 arm pad 3"w x 11"l

JB upholstered pad [JB]

- 4"w x 10 ½"l
- Upholstered in Black Destiny, an engineered nytek leather match

Oval upholstered pad [OVAL]

- 5"w x 10"l
- Upholstered in Black Destiny, an engineered nytek leather match

SWING AWAY ADJUSTABLE T ARM [SATA]



- Swing away turn dial height and width adjustable
- Polyurethane arm pad 4"w x 10 ½"l
- Solid ¼" thick spring steel frame, epoxy powder coated black
- Arm height adjustable from seat pan 8" to 11"
- Arms width adjustable 2" per arm

JB upholstered pad [JB]

- 4"w x 10 ½"l
- Upholstered in Black Destiny, an engineered nytek leather match

Oval upholstered pad [OVAL]

- 5"w x 10"l
- Upholstered in Black Destiny, an engineered nutek leather match

ADJUSTABLE LOOP ARM [ALA]



- Height and width adjustable loop arms
- Polyurethane, steel insert, mounted with four fasteners
- 2" w x 11" l
- Arm height adjustable from seat pan 7 ½" to 9 ¾"
- Arms width adjustment 2" per arm

OVAL TUBE ADJUSTABLE T-ARM [OTATA]



- Finger tip adjustment
- Polyurethane arm pad 4 ½" w x 10 ⅝" l
- Oval tube upright epoxy powder coated black
- Arm height adjustable from seat pan 6" to 9 ¼"
- Arms width adjustable 2" per arm

Chrome [OTATACH]

Oval Tube Polyurethane Short Arm Pad Option [OTSH]

Height & Swivel Adjustable Arms

TC360 ARMREST [TC360]



- Cushioned finger tip adjustment
- Proprietary swivel adjustment rotates 360°
 - > When rotated 180° the forearm pad moves 2" forward
- Solid ¼" thick spring steel frame, epoxy powder coated black
- Arms width adjustable 2" per arm
- Arm height adjustable from seat pan 5 ¾" to 9 ¾"
- Arm pad: Polyurethane arm pad 5"w x 10"l

4" ADJUSTABLE SWIVEL ARM [SWV] [PU]



- Finger tip height adjustment from 6 ⅝" to 10 ⅝"
- Solid ¼" thick spring steel frame, epoxy powder coated black
- Arms width adjustable 2" per arm

Upholstered Swivel Arm Pad

- Proprietary swivel adjustment rotates 360°
 - when rotated 180° the forearm pad moves 2" forward
- Standard Oval Black Destiny upholstered padded forearm pad 5"w x 10"l

Polyurethane Swivel Arm Pad Option

- Polyurethane arm pad 4"w x 11"l
 - when rotated 180° the forearm pad moves 3" forward

Oval Tube Polyurethane Arm Pad Option [OT]

- Oval Tube polyurethane arm pad option 4 ½"w x 10 ⅝"l
- When rotated 180° the forearm pad moves 2" forward

Oval Tube Polyurethane Short Arm Pad Option [OTSH]

- Recommended for use with all myCentric series
- Short Polyurethane arm pad option 4 ½"w x 9"l
- When rotated 180° the forearm pad moves 1 ½" forward

EXTENDING SWIVEL ARM [ESWV]



- Finger tip adjustment
- Solid ½" thick spring steel frame, epoxy powder coated black
- Oval black destiny upholstered padded fore arm pad 5"w x 10"l
- Arm rotates 360°
- Arm length is 13" and extends to a maximum of 15" with arm pad rotation
- When rotated 360° the fore arm pad moves 2" forward
- Arm height adjustable from seat pan 7" to 11"
- Short Extended Plate Option Arm length is 10" and extends to a maximum of 12" with arm pad rotation [ESWVS]

Oval Tube Polyurethane Short Arm Pad Option [OTSH]

- Recommended for use with all myCentric series
- Short Polyurethane arm pad option 4 ½"w x 9"l
- When rotated 180° the forearm pad moves 1 ½" forward

3" HEIGHT & 360° SWIVEL ADJUSTABLE ARM [3SWVOT] [PU]



- Finger tip adjustment from seat pan 7 ¼" to 10 ¼"
- Solid ¾" thick spring steel frame, epoxy powder coated black
- Arms with adjustable 2" per arm
- Oval tube polyurethane arm pad 4 ½"w x 10 ⅝"l
- Proprietary swivel adjustment rotates 360° when rotated 180° the forearm pad moves 2" forward

Short Polyurethane Swivel Arm Pad Option [3SWOVTSH]

- Short polyurethane arm pad 4 ¼"w x 9"l*
- > When rotated 180° the forearm pad moves 1 ½" forward

OVAL TUBE ADJUSTABLE SWIVEL ARM [OTSWV]



- Finger tip adjustment
- Polyurethane arm pad 4 ½"w x 10 ⅝"l
- Oval tube upright epoxy powder coated black
- Arm height adjustable from seat pan 6" to 9 ¼"
- Arms width adjustable 2" per arm
- Proprietary swivel adjustment rotates 360° when rotated 180° the fore arm pad moves 2" forward

Oval Tube Polyurethane Short Arm Pad Option [OTSH]

- Recommended for use with all myCentric series
- Short Polyurethane arm pad option 4 ½"w x 9"l
- When rotated 180° the forearm pad moves 1 ½" forward

Chrome [OTSWVCH]

HEIGHT, WIDTH & SWIVEL ADJUSTABLE ARM [SATASWV]



- Swing away turn dial height and width adjustable
- Proprietary swivel adjustment rotates 360°
 - > When rotated 180° the forearm pad moves 2" forward
- Solid ¼" thick steel frame, epoxy powder coated black
- Arms width adjustable 2" per arm
- Arm height adjustment from seat pan 8" to 11 ½"
- Arm pad: Oval upholstered arm pad 5 ¼" w x 10" l

TCL HEIGHT & LATERAL ADJUSTABLE ARM [TCL]



- Cushioned finger tip adjustment
- Arm lateral adjustment 2 ½" inwards
- Solid ¼" thick spring steel frame, epoxy powder coated black
- Arms width adjustable 2" per arm
- Arm height adjustable from seat pan 6 ½" to 10 ½"
- Arm pad: Polyurethane arm pad 5" w x 10" l
- Finger tip adjustment from seat pan 7 ¼"

HEIGHT & LATERAL ADJUSTABLE [4ATALT]



- Finger tip adjustment
- Arm pad lateral adjustment 2 ¾" inward per arm
- Solid ¼" thick spring steel frame, epoxy powder coated black
- Arms width adjustable 2" per arm
- Arm height adjustable from seat pan 6 ¼" to 10 ¼"
- Arm pad: polyurethane jelly bean arm pad 4" w x 10 ¾" l

HEIGHT & LATERAL ADJUSTABLE ARM [TATALT]



- Trigger height adjustment
- Solid ¼" thick spring steel frame, epoxy powder coated black
- Arm cap lateral adjustment 2 ¾" inward
- Arms width adjustable 2" per arm
- Arm height adjustment from seat pan 5 ¼" to 8 ¼"
- Arm pad: Polyurethane Jelly Bean arm pad 4"w x 10 ¾"

Upholstered Arm Pad [OVALTL]

- Standard Oval upholstered padded forearm pad 5 ¼"w x 10"

Oval Tube Pad [OTL]

- Standard Oval forearm pad 4 ¼"w x 10 ⅝"

Short Oval Tube Arm Pad [OLTSH]

- Short Oval Tube forearm pad 4 ¼"w x 9"

HEIGHT, PIVOT & LATERAL (SIDE TO SIDE & FRONT TO BACK ADJUSTABLE ARM [4DATA])



- Finger tip adjustment
- Oval tube, epoxy powder coated black
- Arms width adjustable 2" per arm
- Arm cap pivot (swivel) - 30° inward, 10° outward
- Arm cap lateral adjustment - 1" side to side, 2" front to back
- Arm height adjustment from seat pan 6 ¼" to 10 ¼"
- Arm pad: Rectangular polyurethane arm pad 4"w x 10"

HEIGHT & LATERAL ADJUSTABLE ARM [OTLT]



- Finger tip adjustment
- Arm pad lateral adjustment 2 ¾" inward per arm
- Oval tube upright epoxy powder coated black
- Arms width adjustable 2" per arm
- Arm height adjustable from seat pan 7 ¼" to 10 ½"
- Arm pad: polyurethane arm pad 4 ¼"w x 10 ⅝"

Short Polyurethane Arm Pad [OTLTSH]

- Short Polyurethane forearm pad 4 ¼"w x 10 ⅝"
- Recommended for use with myCentric Series

Height, Lateral & Swivel Arms

HEIGHT, SWIVEL & LATERAL ADJUSTABLE ARM [TCL360]



- Cushioned finger tip adjustment
- Proprietary swivel adjustment rotates 360°
 - > When rotated 180° the forearm pad moves 2" forward
- Arm lateral adjustment 2 ½" inward
- Solid ¼" thick spring steel frame, epoxy powder coated black
- Arms width adjustable 2" per arm
- Arm height adjustable from seat pan 4"
- Arm pad: Polyurethane arm pad 4 ¾" w x 10 ¼" l

HEIGHT, SWIVEL & LATERAL ADJUSTABLE ARM [SWVLT]



- Cushioned finger tip adjustment
- Proprietary swivel adjustment rotates 360°
 - > When rotated 180° the forearm pad moves 2" forward
- Arm pad lateral adjustment 2 ¾" inward per arm
- Solid ¼" thick spring steel frame, epoxy powder coated black
- Arms width adjustable 2" per arm
- Arm height adjustable from seat pan 7 ¼" to 11 ¼"
- Arm cap: Oval upholstered arm pad 5 ¼" w x 10" l

Oval Tube arm pad [OLT]

- Oval tube arm pad 4 ¼" w x 10 ⅝" l
 - > When rotated 180° the arm pad moves 3" forward

Oval Tube Short arm pad [OLTSH]

- Oval tube short arm pad 4 ½" w x 9" l

HEIGHT, SWIVEL & LATERAL ADJUSTABLE ARM [TSWVLT]



- Cushioned finger tip adjustment
- Proprietary swivel adjustment rotates 360°
 - > When rotated 180° the forearm pad moves 2" forward
- Arm cap lateral adjustment 2 ¾" inward
- Solid ¼" thick spring steel frame, epoxy powder coated black
- Arms width adjustable 2" per arm
- Arm height adjustment from seat pan 6 ½" to 9 ½"
- Arm pad: Oval upholstered arm pad 5 ¼" w x 10" l

Oval Tube arm pad [OLT]

- Oval tube arm pad 4 ¾" w x 10 ⅝" l

Oval Tube Short arm pad [OLTSH]

- Oval tube short arm pad 4 ½" w x 9" l

HEIGHT, SWIVEL & LATERAL ADJUSTABLE [OTSWVLT]



- Cushioned finger tip adjustment
- Proprietary swivel adjustment rotates 360°
 - > When rotated 180° the forearm pad moves 2" forward
- Arm pad lateral adjustment 2 ¾" inward per arm
- Oval tube upright epoxy powder coated black
- Arms width adjustable 2" per arm
- Arm height adjustable from seat pan 8" to 11 ¼"
- Arm pad: polyurethane arm pad 4 ¼"w x 10 ⅝" l

Short Polyurethane arm pad [SH]

- Short polyurethane arm pad 4 ¼"w x 9"l
- Recommended for use with myCentric Series

Non-Adjustable Arms

T-ARM [TA]



- Polyurethane arm pad 4"w x 10 ½"l
- Solid ¼" thick spring steel frame, epoxy powder coated black
- Arm height from seat pan 7 ½"

JB upholstered pad [JB]

- 4"w x 10 ½"l
- Upholstered in Black Destiny, an engineered nytec leather match

Oval upholstered pad [OVAL]

- 5"w x 10"l
- Upholstered in Black Destiny, an engineered nutek leather match

LOOP ARM [LA]



- Polyurethane, steel insert, mounted with four fasteners
- 1 ⅝"w x 10"l
- Arm height from seat pan 7 ½"

BARIATRIC FIXED HEIGHT ARM [BTTA]



- Solid 3" w x ¼" thick high tensile steel bar powder coated black
- Steel arm brackets are welded to mechanisms to avoid excess weight to seat pan
- Arm width adjustable 2"

Oval upholstered pad [OVAL]

- Oval upholstered arm pad 6 ½" w x 11 ¾" l
- Available fixed arm heights from seat pan: 7", 8", 9", 10"

OVAL TUBE FIXED ARM [OFTA]



- Oval tube upright epoxy powder coated black
- Arm pad: Polyurethane arm pad 4 ¾" w x 10 ⅝" l
- Arm height from seat pan 7"

Short polyurethane arm pad [SH]

- Short polyurethane arm pad 4 ¾" w x 9" l

Optional width adjustment of 2" [W]

- Arm height from seat pan 6 ½"

FIXED ARM [BRAR]



- Fixed arm with polyurethane pad
- Not width adjustable
- Arm height from seat pan 9"
- Polyurethane arm pad 3 ½" w x 10" l

Arm Bracket with Chrome accent [CH]

Swivel Arm Caps

OVAL UPHOLSTERED ARM CAP [SWV CAP] [PU]



- 5"w x 10"l
- Upholstered in Black Destiny, an engineered nytek leather match
- See swivel arm options for availability

POLYURETHANE SWIVEL ARM CAP [PUSWV]



- 4"w x 11"l
- Polyurethane
- See swivel arm options for availability

OVAL TUBE ARM PAD [OT] & [OTSH]



- 4 ¼"w x 10 ⅝"l
- Shorter arm pad option: 4 ½"w x 9"l [OTSH]
- Polyurethane
- Fits all adjustable and swivel adjustable arms (except Adjustable Loop Arm) as well as the non-adjustable T-Arm

Oval Tube Polyurethane Short Arm Pad Option [OTSH]

- Recommended for use with all myCentric series
- Short Polyurethane arm pad option 4 ½"w x 9"l
- When rotated 180° the forearm pad moves 1 ½" forward

Standard Arm Caps

OVAL UPHOLSTERED ARM CAP [OVAL]



- 5" w x 10"l
- Upholstered in Black Destiny, an engineered nytek leather match
- See adjustable and non-adjustable arm options for availability

JB UPHOLSTERED PAD [JB]



- 4" w x 10 ¾" l
- Upholstered in Black Destiny, an engineered nytek leather match
- See adjustable and non-adjustable arm options for availability

